

Township N^o VI South of the Base Line

Range N^o III East of the Meridian.

Scale of Forty Chains to an Inch.

Surveyed by Harvey Keth 1806.

Total quantity 2,210.52

Description of the quality of the land in the Interior Sectional Lines

Between Sections	quality	Between Sections	quality
4. 5	Rich; timber Walnut	10. 11	Rich river bottom; timber Ash and Walnut
3. 4	Level, rich; timber Hick, Sugar &c	2. 11	Rich; timber Poplar, Hick &c on river bottom
2. 3	North 52 ch. river hill, 18 ch. in rich bottom; Walnut Ash &c	3. 10	Rich bottom; timber Hick, Walnut &c
1. 2	46.50 rich bottom with a cliff & sink, large Poplar & oak 8.75 rich bottom.		


Township N. 6 South of the Base Line, Range N. 3 East.

Interior Sectional Corners Described

Quarter Section Corners Described

Posts	Draining line	Inches diam	Course bearing	Dist.	Quality of the Land	Sectional Corners	Draining line	Inches diam	Course bearing	Dist.	Sectional Corners	Draining line	Inches diam	Course bearing	Dist.		
A	Cottonwood	20	E 100°		From A to B level and rich, timber & brush	7 5 10 W	Sugar	10	S 65° 30'	E	75	1 1/4 at	Bush	6	S 55°	E	27
a	Bush	10	S 75°	25			Sugar	10	S 67°	E	7		Bush	12	S 77° 30'	N	33
B	Bush	25	S 75°	25	B to C level timber, brush								Sugar	20	S 12° 30'	E	33
	Bush	30	S 15°	34								H to K at	Walnut	20	S 2°	E	26
b	Bush	6	S 57°	5								X to D at	Bush	6	S 82° 30'	N	33
												X to D at	Bush	6	S 82° 30'	N	33
C	Bush	20	S 11°	26	C to D level, brush timber							M to E at	Bush	20	S 73°	N	27
	Bush	9	S 77° 30'	26									Corn	8	S 61°	E	19
c	Bush	12	S 65°	3													
	Bush	12	S 25° 30'	10													
D	Bush	20	S 55°	5	D to E level, brush timber, large Tiptop Sugar												
	Bush	16	S 11°	33													
d	Sugar	12	S 67°	7													
	Millbury	5	S 10°	11													
E	Poplar	72	E 100°		E to F level												
e	Millbury	15	S 20°	23													
	Sugar	12	S 5°	25													
F	Bush	10	S 80° 30'	10	F to G level, rich timber, brush												
	Sugar	12	S 29° 30'	20													
f	Bush	11	S 82°	5													
	Bush	15	S 22°	11													
G	Sugar	10	S 50°	22	G to H level, bottom; timber, brush												
					Oak, Walnut &												
H	Cottonwood	15	S 21°	22	H to I level, bottom; timber, Walnut												
	Cottonwood	15	S 25°	7	Sycamore, Bush &												
I	Sycamore	7	S 61°	107	I to K level												
	Sugar	12	S 65°	58													
K	Cottonwood	12	S 20°	3	K to L level, bottom; timber												
	Bush	10	S 70°	22	Bush Walnut &												
L	Sugar	4	E 100°		L to M level												
M	Bush	25	E 100°		M to N level, bottom; timber, brush												
					Poplar &												
N	Bush	10	S 28°	39	N to A level												
	Sycamore	20	S 33°	24													

2 PM 23329.58



Pursuant to a contract with and instructions from Isaac H. Ansfield Esqr Surveyor General of the State bearing date the 10th day of September 1831
admeasured laid out and Surveyed the above described Township and do hereby certify that it had such marks and bounds both natural and
as are represented on said plat and depicted in the field notes made thereof and returned with the plat into the Surveyor General's
office this 1st day of March 1832

True Copy Given Attest